

The only legally binding document is in Turkish. This document contains a “best effort” translation of the original version.

# YETKİM

## YETKİM

### Metadata Registration Practice Statement (MRPS)

Authors	Gökhan ERYOL, Neşe KAPTAN KOÇ, Mehmet Uğur YILMAZ
Last Update	2019-04-01
Version	1.0

#### License



This document is licensed under Creative Commons CC BY 3.0. You are free to share, re-use and adapt this document as long as attribution is given. This document draws on work carried out by the UK Access Management Federation and the ACONet Identity Federation with gratitude.

The only legally binding document is in Turkish. This document contains a “best effort” translation of the original version.

## **Table of Contents**

<b>1 Definitions and Terminology</b>	<b>3</b>
<b>2 Introduction and Applicability</b>	<b>3</b>
<b>3 Member Eligibility and Ownership</b>	<b>4</b>
<b>4 Metadata Format</b>	<b>4</b>
<b>5 Entity Eligibility and Validation</b>	<b>4</b>
5.1 Entity Registration	4
5.2 EntityID Format	5
5.3 Entity Validation	5
<b>6 Entity Management</b>	<b>5</b>
6.1 Entity Change Requests	5
6.2 Unsolicited Entity Changes	5
<b>7 References</b>	<b>6</b>

The only legally binding document is in Turkish. This document contains a “best effort” translation of the original version.

## 1 Definitions and Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [RFC2119].

The following definitions are used in this document:

Federation	Identity federation. An association of organizations that come together to exchange information as appropriate about their users and resources to enable collaborations and transactions.
Federation Member	An organisation that has joined the Federation by agreeing to be bound by the Federation Policy in writing. Within the federation framework, a Federation Member can act as a Home Organization and/or a Service Provider and/or an Attribute Authority.
Federation Operator	Organisation providing the infrastructure for Authentication and Authorisation to Federation Members.
Federation Policy	A document describing the obligations, rights and expectations of the federation members and the federation Operator.
Entity	A discrete component that a member wishes to register and describe in metadata. This is typically an Identity Provider or Service Provider.
Registered Representatives	Individuals authorised to act on behalf of the member. These may take on different roles with different rights attached to them.
ULAKNET	Turkish Research and Education Network.

## 2 Introduction and Applicability

This document describes the metadata registration practices of the Federation Operator with effect from the publication date shown on the cover sheet. All new entity registrations performed on or after that date SHALL be processed as described here until the document is superseded.

This document SHALL be published on the Federation website at:

<https://yetkim.ulakbim.gov.tr/en/join/>

Updates to the documentation SHALL be accurately reflected in entity metadata.

The only legally binding document is in Turkish. This document contains a “best effort” translation of the original version.

### 3 Member Eligibility and Ownership

The procedure for becoming a member of the Federation is documented at:

<https://yetkim.ulakbim.gov.tr/en/join/>

The membership procedure verifies that the prospective member has legal capacity, and requires that all members enter into a contractual relationship with the Federation Operator by agreeing to the Federation policy. The Operator makes checks based on the legal name provided. The checks are conducted with official databases like:

- ULAKNET members list
- Council of Higher Education, list of universities
- Official Gazette of the Republic of Turkey

The membership process also identifies and verifies Registered Representatives, who are permitted to act on behalf of the organisation in dealings with the Federation Operator. Verification is achieved by direct contact (via email or phone).

The process also establishes a canonical name for the Federation member. The canonical name of a member MAY change during the membership period, for example as a result of corporate name changes or mergers. The member’s canonical name is disclosed in the entity’s `<md:OrganizationName>` element [SAML-Metadatas-OS].

### 4 Metadata Format

Metadata for all entities registered by the Federation Operator SHALL make use of the [SAML-Metadatas-RPI-V1.0] metadata extension to indicate that the Federation Operator is the registrar for the entity and to detail the version of the MRPS statement that applies to the entity.

The following is a non-normative example:

```
<mdrpi:RegistrationInfo
registrationAuthority="https://yetkim.ulakbim.gov.tr"
registrationInstant="2018-12-29T13:39:41Z">
<mdrpi:RegistrationPolicy xml:lang="en">
https://yetkim.ulakbim.gov.tr/doc/YETKIM-MRPS-EN-v1.0.pdf</mdrpi:
RegistrationPolicy> </mdrpi:RegistrationInfo>
```

### 5 Entity Eligibility and Validation

#### 5.1 Entity Registration

The process by which a Federation member can register an entity is described at

<https://yetkim.ulakbim.gov.tr/en/join/>

The only legally binding document is in Turkish. This document contains a “best effort” translation of the original version.

The Federation Operator SHALL verify the member’s right to use particular domain names in relation to entityID attributes.

The right to use a domain name SHALL be established in one of the following ways:

- A member’s canonical name matches registrant information shown in DNS.
- A member MAY be granted the right to make use of a specific domain name through a permission letter from the domain owner on a per-entity basis. Permission SHALL NOT be regarded as including permission for the use of sub-domains.

## 5.2 EntityID Format

Values of the entityID attribute registered MUST be an absolute URI using the http and https schemes.

https-scheme URIs are RECOMMENDED to all members.

http-scheme and https-scheme URIs used for entityID values MUST contain a host part whose value is a DNS domain.

## 5.3 Entity Validation

On entity registration, the Federation Operator SHALL carry out entity validation checks. These checks include:

- Ensuring all required information is present in the metadata;
- Ensuring metadata is correctly formatted;
- Ensuring protocol endpoints are properly protected with TLS / SSL certificates.

## 6 Entity Management

Once a member has joined the Federation any number of entities MAY be added, modified or removed by the organisation.

### 6.1 Entity Change Requests

Any request for entity addition, change or removal from Federation members needs to be communicated from or confirmed by their respective Registered Representatives.

Communication of change happens via email.

### 6.2 Unsolicited Entity Changes

The Federation Operator may amend or modify the Federation metadata at any time in order to:

- Ensure the security and integrity of the metadata;
- Comply with interfederation agreements;
- Improve interoperability;
- Add value to the metadata.

Changes will be communicated to Registered Representatives for the entity.

The only legally binding document is in Turkish. This document contains a “best effort” translation of the original version.

## 7 References

[RFC2119]	Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, <a href="#">RFC 2119</a> , March 1997.
[SAML-Metadata-RPI-V1.0]	SAML V2.0 Metadata Extensions for Registration and Publication Information Version 1.0. 03 April 2012. OASIS Committee Specification 01. <a href="http://docs.oasis-open.org/security/saml/Post2.0/saml-metadata-rpi/v1.0/cs01/saml-metadata-rpi-v1.0-cs01.html">http://docs.oasis-open.org/security/saml/Post2.0/saml-metadata-rpi/v1.0/cs01/saml-metadata-rpi-v1.0-cs01.html</a> .
[SAML-Metadata-OS]	OASIS Metadata for the OASIS Security Assertion Markup Language (SAML) V2.0: <a href="http://docs.oasis-open.org/security/saml/v2.0/saml-metadata-2.0-os.pdf">http://docs.oasis-open.org/security/saml/v2.0/saml-metadata-2.0-os.pdf</a> .